

| Section 1. | CHEMICAL PRODUCT AND COMPANY I | DENTIFICATION |
|----------------|---|--|
| Trade Name: | Yellow Jacket Friction Reduction Pile Slee | eve |
| Supplier: | Foundation Technologies, Inc. | Emergency Response Number |
| | 1400 Progress Industrial Blvd. | (800) 222-5116 |
| | Lawrenceville, GA 30043 | |
| | | |
| Section 2. Co | omposition and Information on Ingredients | |
| | <u>CAS Number</u> | Chemical Name |
| | 9010-79-1 | Polypropylene Copolymer |
| | 9003-07-0 | Polypropylene Homopolymer |
| Contine 0 1 lo | Total Identification | |
| Section 3 Ha | | |
| | Emergency Overview | a ba an inhelation bezard under normal |
| | processing conditions. If the material is processed under prolonged exposure to flame or high Temperature, thermal burns may occur to the skin, and gasses may be produced that are irritating to the respiratory system. | |
| | | |
| | | |
| | | |
| | | |
| | Eye, skin and inhalation due to exposure to flame (molten plastic). | |
| | | |
| | Primary Routes of Exposure | |
| | Routes of entry could include eye, skin and inhalation, due to exposure to flame, (molten plastic). | |
| | | |
| | Potential Environmental effects | |
| | If processed scrap is controlled by the customer, no n | egative ecological effects are expected. |
| Section 4 Fire | st-Aid Massuras | |
| | Inhalation | |
| | Remove affected individual to fresh air, seek medical | attention if difficulties in breathing occur |
| | | |
| | Skin | |
| | If skin has contact with molten material, place affected area under cold running water. Seek | |
| | medical attention for removal of material from the affected area. | |
| | | |
| | Eyes | |
| | If there is contact to the eyes with molten material, rinse with plenty of water and seek immediate | |
| | medical attention. If fines enter the eye, rinse with wat | er for 15 minutes and seek immediate |
| | medical attention if irritation develops. | |
| Continue E Elu | - Fighting Macourag | |
| Section 5 FIN | | |
| | <u>Suitable Extinguishing Media</u> | |
| | Dry extinguisher, water, carbon dioxide, toath. | |
| | Protective Equipment for Fire-Fighting | |
| | Firefighters should be equipped with self-contained br | eathing apparatus. |
| | | sam. g apparator |
| | Hazardous Combustion Products | |
| | During a fire, Carbon Dioxide, and Carbon Monoxide | may be generated by thermal decomposition. |
| | and combustion of the material. | |
| | | |
| Section 6 Ac | cidental Release Measures | |
| | The Polypropylene Copolymer material in sheet form | s not applicable for this section. |

| | Section / Handling and Storage | | | |
|--------------------------------|--|--|--|--|
| | <u>Handling</u> Protect against flame and intense heat. | | | |
| | Storage Store in well ventilated area, avoid extreme heat and any sources of ignition, or open flames. | | | |
| | Secondary Use / Reprocessing When reprocessing material for secondary use, ground all handling equipment. Keep material and dust produced away from high heat and flame. Use good housekeeping practices when reprocessing material. | | | |
| Section 8 Ex | posure Controls and Personal Protection | | | |
| | Personal Protective equipment | | | |
| | Bespiratory Protection | | | |
| | During processing, respiratory protection may not be necessary if ventilation is adequately provided. At excessive processing temperatures, breathing protection may be required. | | | |
| | Hand Protection Gloves may be required when processing the sheet due to sharp edges and when plastic is in the molten state. | | | |
| | Eye Protection Safety glasses with side-shields are recommended. | | | |
| | General Avoid contact with molten material on the skin, eyes and clothing. Handle product in accordance with good industrial hygiene and safety practices. | | | |
| | | | | |
| Section 9 Ph | vsical and Chemical Properties | | | |
| Section 9 Ph | ysical and Chemical Properties <u>Physical State and Appearance</u> Solid Polypropylene Copolymer sheet | | | |
| Section 9 Ph | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet Flashpoint Greater than 500 deg. F (260 deg. C) | | | |
| Section 9 Ph | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet <u>Flashpoint</u> Greater than 500 deg. F (260 deg. C) <u>Autoignition Temperature</u> 735 deg. F (260 deg. C) | | | |
| Section 9 Ph | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet <u>Flashpoint</u> Greater than 500 deg. F (260 deg. C) <u>Autoignition Temperature</u> 735 deg. F (260 deg. C) <u>Melting Point</u> 320 deg. F (160 deg. C) | | | |
| Section 9 Ph | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet <u>Flashpoint</u> Greater than 500 deg. F (260 deg. C) <u>Autoignition Temperature</u> 735 deg. F (260 deg. C) <u>Melting Point</u> 320 deg. F (160 deg. C) | | | |
| Section 9 Ph | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet <u>Flashpoint</u> Greater than 500 deg. F (260 deg. C) <u>Autoignition Temperature</u> 735 deg. F (260 deg. C) <u>Melting Point</u> 320 deg. F (160 deg. C) tability and Reactivity Stability and Reactivity This product in the finished state (sheet) is stable. Avoid temperatures of 600 deg. F (316 deg. C) | | | |
| Section 9 Ph | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet Flashpoint Greater than 500 deg. F (260 deg. C) Autoignition Temperature 735 deg. F (260 deg. C) Melting Point 320 deg. F (160 deg. C) tability and Reactivity Stability and Reactivity This product in the finished state (sheet) is stable. Avoid temperatures of 600 deg. F (316 deg. C) or above. Incompatibility with Various Substances Reactive with strong oxidizing agents | | | |
| Section 9 Phy Section 10 St | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet <u>Flashpoint</u> Greater than 500 deg. F (260 deg. C) <u>Autoignition Temperature</u> 735 deg. F (260 deg. C) <u>Melting Point</u> 320 deg. F (160 deg. C) <u>tability and Reactivity</u> <u>Stability and Reactivity</u> This product in the finished state (sheet) is stable. Avoid temperatures of 600 deg. F (316 deg. C) or above. <u>Incompatibility with Various Substances</u> Reactive with strong oxidizing agents tability and Reactivity Continued | | | |
| Section 9 Phy Section 10 St | ysical and Chemical Properties Physical State and Appearance Solid Polypropylene Copolymer sheet Flashpoint Greater than 500 deg. F (260 deg. C) Autoignition Temperature 735 deg. F (260 deg. C) Melting Point 320 deg. F (160 deg. C) tability and Reactivity This product in the finished state (sheet) is stable. Avoid temperatures of 600 deg. F (316 deg. C) or above. Incompatibility with Various Substances Reactive with strong oxidizing agents tability and Reactivity Continued Hazardous Decomposition Products Hazardous decomposition products are Carbon Monoxide, Carbon Dioxide and various hydrocarbons. Chemicals that are released from exposure to extremely high temperature 600 deg. F (316 deg. C). Degradation products may include trace amounts of acrolein, Formaldehyde, Aldehydes and other organic vapors. | | | |

| Section 11 Toxicological Information | | |
|---|--|--|
| Chronic Effects on Humans | | |
| No specific information is available, but no ecological hazard is expected. | | |
| | | |
| Other Toxic Effects on Humans | | |
| In plastic sheet form, not considered dangerous to humans. | | |
| | | |
| Section 12 Ecological Information | | |
| No information is available, but no ecological hazard is suspected. | | |
| | | |
| Section 13 Disposal Considerations | | |
| Waste Information | | |
| I ransfer to an approved disposal area in accordance with federal, state and local regulations. | | |
| Pastian 14 Transport Information | | |
| | | |
| DOT Classification | | |
| Not a DOT controlled material, (DC). | | |
| TDG Classification | | |
| Not controlled under TDG (Canada) | | |
| Not controlled under 10G, (Canada). | | |
| Marine Pollutant - International maritime Dangerous Goods (ICAO) | | |
| Not available but not regulated. | | |
| | | |
| Air - International Civil Aviation Organization (ICAO) | | |
| Not regulated. | | |
| · | | |
| Special Provision for Transport | | |
| None Listed. | | |
| | | |
| Section 15 Regulatory Information | | |
| OSHA Classification | | |
| Nonhazardous. | | |
| | | |
| HCS Classification | | |
| Not controlled under the HCS, (US). | | |
| | | |
| WHIMIS (Canada) Hazard Classification | | |
| nut applicable. | | |
| International Agency for Research on Cancer (IARC) | | |
| Not listed | | |
| Not listed. | | |
| American Conference of Governmental Industrial Hygienists (ACGIH) | | |
| Not listed. | | |
| | | |
| National Toxicology Program (NTP) | | |
| Not listed. | | |
| | | |
| State Regulations | | |
| No products found. No proposition 65 chemicals present at levels that would require a warning | | |
| under the California Cafe Drinking Water and Tavia Enforcement Act | | |
| under the California Sale Drinking Water and Toxic Enforcement Act. | | |
| under the California Sale Drinking Water and Toxic Enforcement Act. | | |
| SARA (U.S.A) Sections 311 and 312 hazard classification(s) | | |
| SARA (U.S.A) Sections 311 and 312 hazard classification(s) Not applicable. | | |

Approval date: March 19, 2008